



SKIN & BEAUTY CENTER  
Cosmetic, Medical and Surgical Dermatology

[DermLA.com](http://DermLA.com)

**BURBANK**

191 S. Buena Vista St. Suite 475  
Burbank, CA 91505  
T: (818) 842-8000  
F: (818) 842-3208

**SANTA CLARITA**

27879 Smyth Drive  
Valencia, CA 91355  
T: (877) 822-2223  
F: (323) 935-8804



**NORTHRIDGE**

9535 Reseda Blvd. Suite 304  
Northridge, CA 91324  
T: (818) 886-3884  
F: (818) 886-5418

William Coleman, MD  
David Friedman, MD  
Ava Khosraviani, MD  
Payam Saadat, MD  
Manjunath Vadmal, MD  
Kristen Ochsner, PA-C  
Jenna Trubschenck, M.S. PA-C

## Folliculitis

Folliculitis is the infection of hair follicles. This can occur anywhere on the skin or scalp. Usually there is some itch, sometimes a little soreness. Folliculitis looks like acne pimples or non-healing, crusty sores.

An acute eruption or one present for only a short time is usually due to Staph germs (impetigo of Bockhart). This is treated with oral Keflex, Dicloxacillin or similar oral antibiotic for 10 days. Topical antibiotics creams or lotions can also be used. Bactroban ointment should be applied into the front of the nose for several days to prevent a carrier state. While this may seem like it makes no sense, the inside front area of the nostrils is often a place where bacteria can survive a course of oral antibiotics. Later, they spread back to the skin to cause a relapse.

Chronic or recurring folliculitis is less likely to clear with just antibiotics. Often this is on the legs of women, but it can occur in any areas of shaving, waxing, sugaring, EpiLady, hair plucking or friction. These needs to be stopped for at least 3 months to allow the hair to grow in healthy. If shaving is resumed, you should shave with the grain of the hair; it won't FEEL quite as smooth, but it will LOOK a whole lot better.

A pill such as tetracycline or minocycline can be given for 4 to 6 weeks. Unless the skin is sensitive, drying, antiseptic lotions should be used on the affected areas such as Xerac-AC (aluminum chlorhydrate solution), Cleocin-T solution or Benzamycin gel. In some cases, the infection with unusual bacteria may be picked up from a dirty hot tub or scrubbing brush.

For those with sensitive skin, friction and rubbing must be avoided. Avoid Lycra workout clothes, and tight fitting rough fabrics like blue jeans in the affected area. Apply a non-greasy moisturizer such as Lac-hydrin cream (Ammonium lactate 12%) plus mild prescription cortisone cream to the area if there is an associated atopic dermatitis (eczema).

Resistant and recurrent cases, especially on the legs may clear with hair removal laser treatments. This is still somewhat experimental.